

DOOR COLLECTION CATALOGUE

 CORINTHIAN
DOORS



CONTENTS

ENTRANCE DOORS 5

Elements	6
Blonde Oak & Pad Handles	8
Infinity	10
Classic	11
Solidcarve	11
Madison	13
Slimlite	14
Urban	15
Lumina White Oak	17
Sunburst	17
Interblind	19
Backdoor	19
Flush Panel Doors	19
BAL 29 Doors	20
BAL 40 Doors	21

WIDE STYLE DOORS 22

INTERIOR DOORS & CAVITIES 33

Manhattan & Attica Hardware	34
Moda Barn	40
Moda White Oak	42
Moda Primed	48
Deco	55
Madison	56
Balmoral	57
Impressions	58
Motive	59
Flush Panel Doors	59
Platinum Cavities	60

GLAZING OPTIONS 62

DOOR CARE & MAINTENANCE 66





Manhattan
BHAT 13GC



ENTRANCE DOORS

THE ELEMENTS

Introducing Elements, our collection of architectural entrance doors crafted to add a touch of elegance to any façade. Each design is made from sustainable timber with a versatile oak veneer that can be stained in a diverse spectrum of colours.

Door size*: 2340/2040 x 920/820 x 40mm.

*Special sizes available.

HERRINGBONE DOOR



**ELEM A5
HERRINGBONE
WHITE OAK**

Note: White Oak is a natural product, as such the colour, grain, texture and characteristics such as knots and gum veins can vary. Whilst every attempt is made to ensure veneers match, any variations in colour, grain, texture and characteristics such as knots and gum veins will not be considered a defect.

PLANKED DOORS



**ELEM A1
VERTICAL ASYMMETRICAL
WHITE OAK**



**ELEM A2
VERTICAL SYMMETRICAL
WHITE OAK**



**ELEM A3
HORIZONTAL ASYMMETRICAL
WHITE OAK**



**ELEM A4
HORIZONTAL SYMMETRICAL
WHITE OAK**

PAD HANDLES

Complete the look with a selection of luxurious oversized timber pad handles.

Handle size: 200 x 200mm or 300 x 300mm.
Configurations: Back to back or single.



**PAD HANDLE
ROUND
WHITE OAK**



**ELEM H1B
ROUND 300MM**



**ELEM H2B
ROUND 200MM**



**PAD HANDLE
SQUARE
WHITE OAK**



**ELEM H3B
SQUARE 300MM**



**ELEM H4B
SQUARE 200MM**



**PAD HANDLE
D-FORM
WHITE OAK**



**ELEM H5B
D-FORM 300MM**



**ELEM H6B
D-FORM 200MM**

BLONDE OAK

The pure versatility and simple elegance of each Blonde Oak entrance door makes them perfect for creating a clean, contemporary feel for your home.

Crafted from sustainable solid timber with a White Oak veneer, the Blonde Oak Collection opens up a world of design possibilities. Offering ten sleek entrance door designs, Blonde Oak is sure to add value, appeal and intrigue to any home's façade.

Door sizes¹: 2340/2040 x 920/820 x 40mm.

Door sizes (AWO 21 & AWO 40 only)¹: 2340/2040 x 920/820/770/720/620 x 40mm.

Sidelight sizes: 2340/2040 x 400 x 40mm.

Available in BAL 12.5 construction.

¹Availability of size range varies by design, construction type & state. Special sizes are available.



**AWO 2
WHITE OAK**



**AWO 26
WHITE OAK**



**AWO 21
WHITE OAK**



**AWO 40
WHITE OAK**

ENTRANCE DOORS



**AW0 5
WHITE OAK**



**AW0 5G
WHITE OAK**



**AW0 52G
WHITE OAK**



**AW0 5VG
WHITE OAK**



**AW0 7
WHITE OAK**



**AW0 7G
WHITE OAK**



**AW0SL 21
WHITE OAK**

INFINITY

Constructed from select hardwoods to suit Australia's heat and humidity, the Infinity range is highly durable and FSC® certified. The Infinity's stile and rail design, rich timber grain and solid panels make it as beautiful as it is practical.

Door sizes¹: 2040 x 820 x 40mm.

Door sizes (INF 21 & INF 40 only)¹: 2040 x 820/770/720/620 x 40mm.

Sidelight size¹: 2040 x 400 x 40mm.

Available in BAL 12.5 construction.

¹Availability of size range varies by design, construction type & state.

Special sizes are available. FSC licence code (FSC-C015246)



**INF 8G
MERBAU**



**INF 11G
MERBAU**



**INF 4G
MERBAU**



**INF 6G
MERBAU**



**INFSL 6G
MERBAU**

**INF 5VG
MERBAU**



**INF 14G
MERBAU**



**INF 40
MERBAU**



**INFSL 40
MERBAU**



**INF 21
MERBAU**



**INFSL 21
MERBAU**

CLASSIC

Providing an authentic period style for your home's entrance, the Classic range features deep carvings with traditional mouldings. To add further character, these elegant doors can be paired with a range of glazing options.

Door size[†]: 2040 x 820 x 40mm.
Sidelight size[†]: 2040 x 400 x 40mm.
Available in BAL 12.5 construction.

[†]Special sizes are available.



PCL 4G



PCSL 4G



PCL 4



PCL 2



PCL 1AG



PCLSL 1AG

SOLIDCARVE

Solidcarve doors carry deep carved patterns on both sides and also feature square corner routing. These design elements combine to create eye-catching designs that range from contemporary to a hint of traditional.

Door size[†]: 2040 x 820 x 40mm.
Sidelight size[†]: 2040 x 400 x 40mm.
Available in BAL 12.5 construction.

[†]Special sizes are available.



PSC 1



PSC 4



PSC 4G



PSCSL 4G



Madison PMAD 104

MADISON

Thanks to its wide choice of glass options, the Madison range provides unmatched versatility in complementing your home. Solid construction also provides thermal efficiency and noise reduction.

Door size¹: 2040 x 820 x 40mm.
 Sidelight size¹: 2040 x 400 x 40mm.
 Available in BAL 12.5 construction.
¹Special sizes are available.



PMAD 4G



PMAD 101



PMADSL 101



PMAD 04



PMAD 111



PMADSL 111



PMAD 106



PMAD 104



PMADSL 104

SLIMLITE

With sleek, modern geometry, Slimlite doors are the perfect choice for contemporary homes. An impressive range of glass choices allow light to warm your entry, while still maintaining privacy.

Door size[†]: 2040 x 820 x 40mm.
Available in BAL 12.5 construction.
[†]Special sizes are available.



PSLM 202



PSLM 204



PSLM 208



PSLM 201

URBAN

Featuring carved patterns both sides of the door, the Urban range will complement conservative modern or traditional architecture. Square corner routing adds to their clean and uncluttered appearance.

Door size[†]: 2040 x 820 x 40mm.
Available in BAL 12.5 construction.

[†]Special sizes are available.



PURB 104



PURB 1



PURB 2



PURB 101



PURB 04



PURB 4



Lumina White Oak ALUM 1

LUMINA WHITE OAK

With inserts that appear to float in mid-air, these stunning doors allow abundant light to enter through. Constructed from solid timber and featuring a White Oak veneer, the effect is striking and contemporary. Choose from clear or translucent glass.

Door size: 2040 x 820 x 40mm.
Available in BAL 12.5 construction.



**ALUM 1
WHITE OAK**



**ALUM 5
WHITE OAK**



**SUN GL
MERBAU**



**SUN GR
MERBAU**

SUNBURST

A beautiful combination of rich Merbau and glass, the Sunburst range makes a profound statement with its eye-catching patterns. Take it a step further and magnify your home's curb appeal with a double door set.

Door size: 2040 x 820 x 40mm.
Available in BAL 12.5 construction.



**SUN AL
MERBAU**

**SUN AR
MERBAU**



Interblind IBP 1

INTERBLIND

Control the light, look and privacy of your rooms with these stylish micro venetian blinds. They're encased between two sheets of safety glass, removing the need for cleaning or additional maintenance.

Door size: 2040 x 820 x 40mm.



IBP 1



IBP 2

BACKDOOR

Suitable for both contemporary and traditional homes, There are two designs available: Flush door with half light in Honeycomb and solid construction, and routed door with half light in solid construction only.

Door sizes[†]: 2040 x 820 x 40mm.

Door sizes (No.7 only)[†]:

2040 x 820/770/720 x 35/40mm.

Available in BAL 12.5 construction.

[†]Availability of size range varies by design, construction type & state. Special sizes are available.



NO.7



NO.7A



PMAD 7 BAL 12.5

FLUSH PANEL DOORS

Suitable for both contemporary and traditional homes, flush panel doors come pre-primed, ready for painting or as timber doors ready for staining.

Door sizes[†]: 2040/2340 x 1020/920/870/820/770/720/620/520 x 35/40mm.

Available in BAL 12.5 construction.

[†]Availability of size range varies by design, construction type & state. Special sizes are available.



EXP, PAINT PLY



VEX

BAL 29 DOORS



Corinthian offers the largest range of doors to meet the regulatory requirements of building in a number of designated bushfire zones, including BAL 12.5, BAL 29 and BAL 40. Across our range of BAL 29 doors, you can choose from primed designs or a range of veneers featuring decorative metal inlays.

Door size¹: 2340/2040 x 820 x 40mm.

Sidelight size¹: 2040 x 400 x 40mm.

¹Availability of size range varies by design, construction type & state. Special sizes are available.



PRU 03



PRU 04



PRU 101



PRUSL 101



PRU 104



PRUSL 104



PRU 106



PRU 7



PRU 21



EXP BAL 29

BAL 40 DOORS



Our BAL 40 range of doors meets the regulatory requirements of building in a BAL 40: Very High bushfire zone. You can choose from primed or veneer finished routed doors and sidelites, with or without glazed openings.

Door size¹: 2040 x 820 x 42mm.

Sidelight size¹: 2040 x 400 x 42mm.

¹Special sizes are available.



PBUSHG 101



PBUSHSL 101



PBUSHG 104



PBUSHGSL 104



PBUSHG 506



PBUSHG 513



PBUSHG 514



PBUSH



PBUSH 1



PBUSH 2



PBUSH 4



PBUSH 04



PBUSH 9



PBUSH 44



PBUSH 101



PBUSH 104



WIDE STYLE DOORS

THE ELEMENTS

Introducing Elements, our collection of architectural entrance doors crafted to add a touch of elegance to any façade. Each design is made from sustainable timber with a versatile oak veneer that can be stained in a diverse spectrum of colours.

Door standard size[†]: 2340/2040 x 1200/1020 x 40mm.
[†]Special sizes available.

HERRINGBONE DOOR



**ELEMWS A5
HERRINGBONE
WHITE OAK**

Note: White Oak is a natural product, as such the colour, grain, texture and characteristics such as knots and gum veins can vary. Whilst every attempt is made to ensure veneers match, any variations in colour, grain, texture and characteristics such as knots and gum veins will not be considered a defect.

PLANKED DOORS



**ELEMWS A1
VERTICAL ASYMMETRICAL
WHITE OAK**



**ELEMWS A2
VERTICAL SYMMETRICAL
WHITE OAK**



**ELEMWS A3
HORIZONTAL ASYMMETRICAL
WHITE OAK**



**ELEMWS A4
HORIZONTAL SYMMETRICAL
WHITE OAK**

PAD HANDLES

Complete the look with a selection of luxurious oversized timber pad handles.

Handle size: 200 x 200mm or 300 x 300mm.
Configurations: Back to back or single.



**PAD HANDLE
ROUND
WHITE OAK**



**ELEM H1B
ROUND 300MM**



**ELEM H2B
ROUND 200MM**



**PAD HANDLE
SQUARE
WHITE OAK**



**ELEM H3B
SQUARE 300MM**



**ELEM H4B
SQUARE 200MM**



**PAD HANDLE
D-FORM
WHITE OAK**



**ELEM H5B
D-FORM 300MM**



**ELEM H6B
D-FORM 200MM**



Blonde Oak AWOWS 5VG

WIDE STYLE DOORS

If you're looking for a statement piece for your home, wide style doors are sure to impress. These doors embody Corinthian's commitment to craftsmanship and are available in a wide range of natural timbers, or primed designs you can paint to reflect your individual style. A range of complementary frames and systems are available to suit, including pivot and hinged options.

Door size¹: 2340/2040 x 1200/1020 x 40mm.

¹Availability of size range varies by design, construction type & state. Special sizes are available.



**AWOWS 5G
WHITE OAK**



**AWOWS 5V
WHITE OAK**



**AWOWS 19H
WHITE OAK**



**AWOWS 21
WHITE OAK**




PMAD PV 101



DECO PV 25



FLUSH PV



PMAD PV 104

WIDE STYLE DOORS



PSLM PV 202

DECO PV 4S



DECO PV 3S

PSLM PV 208



**INFWS 5VG
MERBAU**



**INFWS 5G
MERBAU**



**INFWS 6G
MERBAU**



**INFWS 8G
MERBAU**



**INFWS 11G
MERBAU**

WIDE STYLE DOORS



**SUNWS GL
MERBAU**

*Doors pictured as viewed from exterior.



**SUNWS GR
MERBAU**



**ALUMWS 1
WHITE OAK**




**ALUMWS 3
WHITE OAK**



**ALUMWS 5
WHITE OAK**



INTERIOR DOORS & CAVITIES



IMPORTANT

The Attica hardware range, has been curated specifically to suit the narrow 60mm stile of the Manhattan door. Care must be taken if sourcing alternative hardware to ensure it is compatible with the maximum depths for hardware fitment to avoid potential door damage and compromised functionality. Failure to adhere to the hardware installation instructions will void warranty. For more information contact the Corinthian Customer Service team.

Manhattan BHAT 13GC and
Attica Passage Set - Square, Satin Silver

MANHATTAN GLAZED CLEAR

Introducing Manhattan, a collection of 8 interior doors designed to provide an ultra-stylish feature in your next renovation or new build.

The range is FSC® certified, available in clear or translucent glazing and provides install flexibility across a full range of internal applications.

Stocked in a range of standard sizes, including a curated range of hardware to suit the narrow 60mm stile.

Corinthian Doors makes achieving industrial-chic easy.

Door sizes†

2040/2340 x 920/870/820/770/720/620/520 x 35mm

2150/2450 x 1000 x 35mm*

*Size recommended for face of wall sliding applications

†Availability of size range varies by design, construction & state.

Note: BHAT 14GC, BHAT 15GC, BHAT 14GT and BHAT 15GT are only available in 820, 870 and 920mm wide.

FSC licence code (FSC-C015246)



BHAT 3GC
45MM RAILS



BHAT 16C



BHAT 26C
25MM RAILS

ATTICA HARDWARE

Complete the look of your Manhattan door with the Attica hardware range.

Available in both Matt Black and Satin Silver, the Attica range of hardware includes options for a range of applications including hinge doors, cavities and face of wall sliding doors.

HINGE DOOR HARDWARE



PASSAGE SET - SQUARE




KEY LOCK SET - SQUARE



PRIVACY SET - SQUARE

Note: Attica hardware is available in Satin Silver finish.

MANHATTAN GLAZED CLEAR CONT.



ATTICA HARDWARE

HINGE DOOR HARDWARE



**ROLLER SET & 600MM
PULL HANDLE - SQUARE**



ROLLER SET



CONCEALED HINGE

Note: Attica hardware is available in Satin Silver finish.

MANHATTAN GLAZED TRANSLUCENT



BHAT 3GT
45MM RAILS



BHAT 1GT



BHAT 2GT
25MM RAILS



BHAT 4GT
25MM RAILS



BHAT 5GT
45MM RAILS



BHAT 6GT
25MM RAILS



BHAT 7GT
45MM RAILS



BHAT 8GT
25MM RAILS



BHAT 9GT
45MM RAILS

MANHATTAN GLAZED TRANSLUCENT CONT.



BHAT 10GT
25MM RAILS



BHAT 11GT
45MM RAILS



BHAT 12GT
25MM RAILS



BHAT 13GT
45MM RAILS



BHAT 14GT
25MM ARCH



BHAT 15GT
45MM ARCH

ATTICA HARDWARE

FACE OF WALL SLIDING HARDWARE



2200MM FACE OF WALL TRACK



FLUSH PULL - RECTANGLE



600MM PULL HANDLE - SQUARE

Note: Attica hardware is available in Satin Silver finish.



KEY LOCK SET - SQUARE

CAVITY SLIDING DOOR HARDWARE




SLIDING PASSAGE SET - RECTANGLE



SLIDING PRIVACY SET - RECTANGLE

Note: Attica hardware is available in Satin Silver finish.

MODA BARN



Across any architectural style, The Moda Barn Door Collection offers a range of popular designs that add eye-catching character to any home. And they're equally versatile in their application, being the ideal transition piece between rooms. A modern space saver, they can provide openness and fluidity or division and intimacy. Compatible barn door track and hardware kit also available (sold separately).

Door sizes¹: 2450/2150x 1000 x 35mm

¹Availability of size range varies by design, construction & state.



AWOBD1
WHITE OAK



AWOBD2
WHITE OAK



AWOBD3
WHITE OAK



BARN DOOR TRACK & HARDWARE KIT





PBD1



PBD2



PBD3



PBD4



FLOOR MOUNTED DOOR GUIDE
(Included in Track & Hardware Kit)



WALL MOUNTED DOOR GUIDE

MODA WHITE OAK SOLID INFILL

The natural grain of timber is like a unique fingerprint, making each Moda White Oak interior door a one-off design. And with a light and versatile White Oak veneer, these doors can be stained and painted to express your interior vision with clarity and style. As a perfect complement to our Blonde Oak entrance door collection, this range will lend a strong sense of cohesion to your home. Available as a solid, glazed or mirror door.

Door sizes[†]: 2340/2040 x 920/870/820/770/720/620/520 x 35mm

[†]Availability of size range varies by design, construction & state.



**AMOD1
WHITE OAK**



**AMOD2
WHITE OAK**



**AMOD3
WHITE OAK**



**AMOD5
WHITE OAK**

**AMOD4
WHITE OAK**



**AMOD6
WHITE OAK**



**AMOD8
WHITE OAK**



**AMOD9
WHITE OAK**



**AMOD10
WHITE OAK**



**AMOD11
WHITE OAK**



**AMOD12
WHITE OAK**

INTERIOR DOORS



AMOD13
WHITE OAK



AMOD14
WHITE OAK



AMOD15
WHITE OAK



AMOD16
WHITE OAK



AMOD17
WHITE OAK




AMOD18
WHITE OAK



AMOD19
WHITE OAK



AMOD20
WHITE OAK



AMOD25 (MIRROR)
WHITE OAK



AMOD21
WHITE OAK



AMOD22
WHITE OAK



AMOD23
WHITE OAK



AMOD24
WHITE OAK

MODA WHITE OAK GLAZED CLEAR



AMOD2GC
WHITE OAK

AMOD3GC
WHITE OAK

AMOD1GC
WHITE OAK

AMOD4GC
WHITE OAK



AMOD5GC
WHITE OAK

AMOD6GC
WHITE OAK

AMOD8GC
WHITE OAK

AMOD9GC
WHITE OAK

AMOD10GC
WHITE OAK

AMOD11GC
WHITE OAK

MODA WHITE OAK GLAZED TRANSLUCENT



**AMOD2GT
WHITE OAK**



**AMOD3GT
WHITE OAK**



**AMOD1GT
WHITE OAK**



**AMOD4GT
WHITE OAK**



**AMOD5GT
WHITE OAK**



**AMOD6GT
WHITE OAK**



**AMOD8GT
WHITE OAK**



**AMOD9GT
WHITE OAK**



**AMOD10GT
WHITE OAK**



**AMOD11GT
WHITE OAK**

INTERIOR DOORS



**AMOD126T
WHITE OAK**



**AMOD136T
WHITE OAK**



**AMOD146T
WHITE OAK**



**AMOD156T
WHITE OAK**



**AMOD166T
WHITE OAK**



**AMOD186T
WHITE OAK**



**AMOD196T
WHITE OAK**



**AMOD206T
WHITE OAK**



**AMOD176T
WHITE OAK**



**AMOD216T
WHITE OAK**



**AMOD226T
WHITE OAK**



**AMOD236T
WHITE OAK**



**AMOD246T
WHITE OAK**

MODA PRIMED SOLID INFILL

Constructed with quality stile and rail joinery techniques, the Moda Primed range features classic designs and proportions, perfect for an array of architectural designs. Available as a solid, glazed or mirror door, this range comes pre-primed and ready to paint.

Door sizes[†]:

2340/2040 x 920/870/820/770/720/620/520 x 35mm.

[†] Availability of size range varies by design, construction type & state.



PMOD1



PMOD2



PMOD3



PMOD5



PMOD6



PMOD8



PMOD9



PMOD10



PMOD11



PMOD12

INTERIOR DOORS



PMOD13



PMOD14



PMOD15



PMOD16



PMOD17



PMOD18



PMOD19



PMOD20



PMOD21



PMOD22



PMOD23



PMOD24



PMOD25 (MIRROR)

MODA PRIMED GLAZED CLEAR



PMOD26C

PMOD36C

PMOD16C

PMOD46C



PMOD56C

PMOD66C

PMOD86C

PMOD96C

PMOD106C

PMOD116C

MODA PRIMED GLAZED TRANSLUCENT



PMOD2GT

PMOD3GT

PMOD1GT

PMOD4GT



PMOD5GT

PMOD6GT

PMOD8GT

PMOD9GT

PMOD10GT

PMOD11GT

INTERIOR DOORS



PMOD126T



PMOD136T



PMOD146T



PMOD156T



PMOD166T



PMOD186T



PMOD196T



PMOD206T



PMOD176T



PMOD216T



PMOD226T



PMOD236T



PMOD246T



Deco 10S

DECO

The Deco collection, inspired by the Art Deco movement, uses clean lines and geometry to open up a world of modern design. There are 15 Deco doors to choose from, offering you the largest range of routed doors and latest designs.

Door sizes¹:

2340/2040 x 920/870/820/770/720/620/520 x 35mm.

¹Availability of size range varies by design, construction type & state.



DECO 1S



DECO 2S



DECO 3S



DECO 4S



DECO 04S



DECO 6S



DECO 7S



DECO 8S



DECO 9S



DECO 10S



DECO 11S



DECO 13S



DECO 14S



DECO 15S



DECO 16S

MADISON

The Madison internal range of doors picks up on the design cues established by their namesake entrance doors, making them perfect for continuity of design throughout the home.

Door sizes¹:

2340/2040 x 1020/920/870/820/770/720/620/520 x 35mm.

¹Availability of size range varies by design, construction type & state.



PMADIN 04



PMADIN 104



PMADIN 101



PMADIN 4

BALMORAL

Balmoral doors feature deep carved patterns on both sides, creating restrained, simple designs that will complement most home styles.

Door sizes¹:

2340/2040 x 920/870/820/770/720/620/520 x 35mm.

Bi-fold sizes¹: 2015 x 820/770/720 x 35mm.

¹Availability of size range varies by design, construction type & state.



PBAL 1



PBAL 4G



PBAL 2



PBAL 4



PBAL BF 4



PBAL BF 4G

IMPRESSIONS

Making a great impression won't cost a fortune thanks to these affordable doors. Whether you're looking for a woodgrain appearance or the subtler finish of a smooth skin design, the Impressions range has it.

Door standard size: 2040 x 820 x 35mm.
Bi-fold standard size: 2015 x 820 x 35mm.



STA
WOODGRAIN SKIN
(as pictured)



STAG
WOODGRAIN SKIN
(as pictured)



CMB
SMOOTH SKIN
(as pictured)



ROC
SMOOTH SKIN
(as pictured)



STA BF
WOODGRAIN SKIN
(as pictured)



STAG BF
WOODGRAIN SKIN
(as pictured)

MOTIVE

Bringing a contemporary feel to any home, this range of doors is routed on both sides with a square cut groove to emphasise distinctive shadow lines. And thanks to its honeycomb core, it's light and affordable.

Door sizes[†]:

2340/2040 x 920/870/820/770/720/620/520 x 35mm.

[†]Availability of size range varies by design, construction type & state.



MOTP 2



MOTP 2V



MOTP 3D



PMDF



PMDF BF

FLUSH PANEL DOORS

Suited to both contemporary and traditional styled homes, flush panel doors come pre-primed, ready to paint. They're available in honeycomb core and solid core construction. Also available in a bi-fold door design.

Door sizes[†]: 2340/2040 x 1020/920/870/820/770/720/620/520/460/420 x 35/40mm.

Bi-fold sizes[†]: 2015 x 820/770/720 x 35mm.

[†]Availability of size range varies by design, construction type & state.

PLATINUM CAVITY UNITS

Platinum Cavity is a steel cavity door unit that provides you with more strength, space and design choice. There is a wide selection of widths and heights across three unit configurations which can suit a range of applications, including floor to ceiling and tiled wet areas. A single unit allows for flush jamb and flush pull configurations.

Suitable for door sizes+:

2340/2040 x 1200/1020/920/870/820/770/720/620 x 40mm

¹Availability of size range varies by design, construction & state.



**PLATINUM 4000
SOFT CLOSER
NOW AVAILABLE**

(Sold separately)

Improve the performance with of your Platinum 4000 Cavity Unit with a Soft Closer ensuring a gentle open and close every time. Can be retrofitted post cavity unit installation.



JEXIS PRESS-RELEASE UNIT

(Sold separately - suitable for flush jamb applications only)



PLATINUM 4000
(Standard)



PLATINUM 6000
(Heavy duty)



PLATINUM 9000
(Heavy duty floor to ceiling)

THE PERFECT CAVITY FOR TILED WALL APPLICATIONS AND WET AREAS

PLATINUM 4000 - STANDARD UP TO 65KG PER DOOR SINGLE APPLICATIONS

Aluminium track

Converter bumper stop



Jexis press-release unit



PLATINUM 6000 - HEAVY DUTY 125KG PER DOOR SINGLE APPLICATIONS



PLATINUM 9000 - HEAVY DUTY FLOOR TO CEILING 125KG PER DOOR SINGLE APPLICATIONS





GLAZING OPTIONS



Blonde Oak AWOWS 5G

GLAZING OPTIONS

For privacy and aesthetic reasons, there are a number of glazing options available depending on the door design. This includes decorative and tinted glass options.



TRANSLUCENT



RICE PAPER



**GREY
TRANSLUCENT**



GREY TINT



**DECO
ZINLIGHT**



**DIAMOND
JEWEL
ZINLIGHT**

DOOR CARE & MAINTENANCE

IMPORTANT INFORMATION

This important information will help keep your Corinthian Door looking beautiful and working for many years, while maintaining warranty coverage. Regular inspections and minor maintenance are the best ways to keep your doors in good condition. **We gladly offer a five year warranty on every door we make, failure to adhere to door care and maintenance advice will void warranty.**

PREPARING YOUR DOOR PRIOR TO FINISHING

STORAGE

Always store your door/s in a dry covered building, not in wet, exposed or freshly plastered areas where moisture can get to the door. Your doors should be stored flat, off the ground/floor.

SANDING

Generally paint/stain manufacturer's will specify that you should give timber a light sand before finishing. Always refer to the paint/stain manufacturer's advice. The surface should be prepared with appropriate sand paper, under no circumstances should you use steel wool or other metal scourers. Light sanding is recommended for veneer doors. Do not sand veneer doors back more than 0.2mm as the substrate may be exposed. Do not use sand paper with a lower grit value of 240. Always sand in the direction of the grain, avoid cross sanding, as this will only exaggerate when stained.

FINISHING YOUR DOOR

All Corinthian Doors are supplied unfinished and need to be either (a) painted or (b) stained and sealed (all of which are referred to as **Finished**). Timber is a natural product that is greatly affected by changes in moisture. This change in moisture will cause the timber to warp, crack or in some cases rot. Unprotected timber can physically deteriorate if exposed to extremes of atmospheric change over a period of time. All timber products should be Finished before being installed to help protect them from changes in moisture - regardless of whether they are being used in internal or external applications.

The entire door should be Finished immediately after fitting and before hanging; this includes behind the hinges, and lock and most importantly, the top and bottom edges should be Finished. Always follow the paint/stain manufacturer's instructions on the number of coats required. The top, bottom and sides of the door need to receive the same number of coats as the door face. Trials have shown that doors with the correct number of coats of paint, stain or sealer (as per the paint/stain manufacturer's recommendations) outlast and perform better than those not finished adequately. **Failure to seal doors within one month from the date of delivery with two coats of paint or sealer/varnish to both faces and all edges, including top and bottom, will void warranty.**

PAINT/STAIN AND SEALER SYSTEMS

Always use good quality paint, stain or sealer systems and always follow the paint/stain manufacturer's advice. Be sure to pay particular attention to "internal" vs "external" paint, stain and coating systems and use one that is appropriate to where you are hanging the door. Never use automotive or two pack paint on doors. **A sealer must be used when staining a door, as stains do not offer any protection against the elements.**

PAINT COLOURS

Doors exposed to sunlight should be painted with light reflective colours as dark colours absorb light and heat. Using dark colours will cause a drying effect on the doors and could cause the doors to warp. The use of a light coloured topcoat is essential. Your paint supplier or paint manufacturer can advise you on the light reflective value (LRV) of the colour you have selected - the higher the LRV the less heat the substrate will absorb and the longer the expected life of the paint finish. Black has a LRV of approximately 5. White has a LRV of approximately 95. Choosing paint colours with an LRV of greater than 50 is a wise choice. Your paint manufacturer should be able to advise you of the LRV for a selected colour. Using different colours on either side of the door (external/internal) will cause uneven heat/moisture absorption, particularly for doors in exposed applications. The finishing paint should be the same colour on all six sides. Using different colours may cause the door to warp.

HIGH GLOSS PAINTS

Honeycomb doors with a 3.2mm skin should be painted with flat, semi-gloss or satin finishes. Honeycomb doors with 4.75mm or thicker skins can be painted with gloss or high gloss paints. We do not recommend painting Blokdoor core doors with gloss finishes.

STAIN COLOURS

Given a light reflective value (LRV) is a measure of the final colour, the LRV for stains (semi-transparent in nature) can vary hugely depending on the substrate it is applied to. If you choose to apply a darker stain to lighter timber doors, always follow the stain manufacturer's instructions. We recommend using a good quality stain when finishing your door. The finishing stain should be the same colour on all six sides. Using different stains may cause the door to warp.

MERBAU DOORS

When finishing Merbau timber doors ensure you use an oil based undercoat and finish specifically designed for Merbau. This will help reduce bleeding of tannin. If your Merbau door becomes exposed to moisture, and the door bleeds tannin, wipe the door over with a damp cloth to restore an even appearance.

INSTALLATION OF YOUR DOOR

HANGING YOUR DOOR

Hang stile and rail joinery doors with the loose beads facing externally. Always hang doors as directed by the label on the door. Solid doors should always be hung with 3 hinges, with a minimum hinge size of 89mm.

TRIMMING ALLOWANCES

Trimming allowances vary by range and design. Please check trimming allowances with the manufacturer.

DOOR FURNITURE

Always use a good quality door furniture supplier. Make sure your door furniture is appropriate for external or internal applications. Always follow the door furniture manufacturer's advice for installation and fitting.

Always understand the construction of your door before attempting to fit it with door furniture or hardware. The utility or structural strength must not be impaired in the fitting of the door, the application of hardware or cutting and altering the door for lights, louvres, panels or any other special details.

LOCK BLOCKS AND FITTING OF DOOR FURNITURE

A lock block is a piece of timber fixed inside the door. Hollowcore doors (such as Honeycomb construction) contain a lock block. As the construction is not 100% solid timber, a lock block is required to keep the handle and door furniture in place. It is extremely important that the position of the lock block is located before checking out of the hinges, before hanging the door or fixing the door furniture. To help indicate which side of the door the lock block is positioned, a lock block label is located on that side, this label is always on the spine/stile. The lock block will cover door furniture back set up to 60mm. An internal door lock block is 300mm high for a 2040mm high door. An external door lock block is 500mm in height.

PROTECTING YOUR DOOR FROM THE WEATHER

Entrance doors must be installed in weather protected openings to reduce the effects of weather exposure. The warranty will not cover door damage caused by the external environment.

MAINTAINING YOUR DOOR

REGULAR INSPECTIONS

We recommend that you regularly inspect your door for any paint, stain or sealer breakdown, pay special attention to possible paint/stain breakdown around glass openings and joints. Once the paint, stain or sealer system has begun to breakdown, you should re-finish your door.

CLEANING YOUR DOOR

You should avoid getting your doors wet, even after painting or staining and sealing.

Wipe your front door down with a damp cloth. Do not use harsh chemicals or detergents on your door.

Never hose your front door down or get your door wet.

STAINLESS STEEL

When cleaning doors with stainless steel inlays/inserts, thoroughly wipe down the surface with a damp cloth and dry with a soft cloth. Any discolouration or corrosion should be removed as soon as possible to avoid permanent discolouration and pitting of the surface from occurring. To remove discolouration, always use a good quality stainless steel cleaner and follow the manufacturer's instructions.

GENERAL

VARIATIONS IN TIMBER

Timber veneers can have significant variation in colour, grain patterns and textures. These variations in colour, grain patterns and textures are unavoidable and are part of the natural beauty of timber; they are not considered defects.

SHOW THROUGH

Show through is when the internal construction of the door has left a slight impression on the skin of the door. When this does happen it will generally be with doors with a 3mm skin. Normally show through is only seen at certain angles or when high gloss paints are used. Show through of frame and core components is not considered a defect.

WARP/BOW

Warp/bow is the cupping or twisting of timber. When it comes to doors, it refers to the distortion within the door itself and not its relationship to jambs or the frame in which it is hung.

Inline with the Australian Standard, it is not considered a defect for a door measuring 2150mm high to have a warp/bow up to 4mm. In addition, it is not considered a defect for doors measuring between 2150mm and 2400mm high to have a warp/bow up to 6mm. Doors which exceed 2438mm high or 1219mm wide are not covered by the Australian Standard or the Warranty and are not guaranteed against warp/bow or twist. You can determine cupping by applying a straight-edge to the concave face of the door, or twist by placing the door face against a true plane surface. Warp/bow can be caused by a number of factors, generally warp/bow is caused by improper storage or adverse moisture conditions. Using dark or multiple colours (paint or stain) can also cause the door to warp.

Corinthian does not accept responsibility of warp/bow when the moisture content of the timber falls below 10% or exceeds 15%. These guidelines are provided inline with the Australian Standard.

Prompt advice should be sought if excessive warping/bowing occurs to assist in overcoming difficulty.

It is the responsibility of the installer and homeowner to ensure that the advice in this document has been adhered to. Failure to follow these instructions will void the warranty.

For full warranty and terms & conditions of sale, visit corinthian.com.au



www.corinthian.com.au
1300 899 153

VIC **CAMPBELLFIELD**
11 Somerton Road
Campbellfield 3061

DANDENONG
6 Healey Road
Dandenong 3175

NSW **ST MARYS**
17-35 Lee Holm Road
St Marys 2760

QLD **ACACIA RIDGE**
16 Colebard Street East
Acacia Ridge 4110

SA **REGENCY PARK**
38 Birralee Road
Regency Park 5010

WA **CANNING VALE**
32 Coulson Way
Canning Vale 6155